Listing of Claims:

This listing of claims reflects all claim amendments and replaces all prior versions, and listings, of claims in the application. Material to be inserted is in **bold and underline**, and material to be deleted is in **strikeout** and (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[]].

In brief, claims 2 and 5-8 have been canceled, claims 1, 3, 4, 9, and 12-14 have been amended, and new claims 31-33 have been added.

1. (Currently Amended) A set for bone fixation, comprising:

at least two bone plates, each bone plate <u>being configured to be secured to a</u>

<u>left half or a right half of a skeleton and</u> including a distinct color that indicates a <u>distinct bone region</u> <u>the left half or the right half</u> to which the bone plate is configured to be secured.

- 2. (Canceled)
- 3. (Currently Amended) The set of claim 1 [[2]], further comprising at least one other bone plate configured for use on each of the left half and the right half of a skeleton, the at least one other bone plate including a color that is distinct from the distinct colors of the at least two bone plates.
- 4. (Currently Amended) The set of claim 1 [[2]], wherein the distinct color also indicates a particular bone region within one of the left half and the right half of the skeleton.
 - 5-8. (Canceled)

- 9. (Currently Amended) The set of claim 1, wherein each **bone plate is configured to be secured to** distinct bone region is included in one of a distal region of a humerus bone or [[and]] a proximal region of an ulna bone.
- 10. (Original) The set of claim 1, wherein at least one of the bone plates includes at least one prong configured to engage bone when the bone plate is secured to bone.
- 11. (Original) The set of claim 1, wherein at least one of the bone plates has a first portion configured to be secured adjacent an end of a long bone and a second portion configured to be secured toward or on a shaft of the long bone, and wherein the first portion of the bone plate is thinner on average than the second portion of the bone plate.
- 12. (Currently Amended) The set of claim 1, wherein at least one of the bone plates includes a curved bone-facing surface configured to match the curved contour of [[the]] a distinct bone region to which the at least bone plate is configured to be secured.
- 13. (Currently Amended) The set of claim 1, further comprising instructions that relate each bone plate to the <u>left half or the right half</u> distinct bone region to which the bone plate is configured to be secured.
 - 14. (Currently Amended) A method of bone fixation, comprising:

selecting a distinct bone region a left half or a right half of a skeleton for fixation;

selecting one of the at least two bone plates of claim 1 according to the having a distinct color of the one bone plate that indicates corresponds to the selected left or right half distinct bone region; and

securing the one bone plate to the selected left or right half distinct bone region.

15-30. (Canceled)

- 31. (New) The set of claim 1, wherein the at least two bone plates include a pair of bone plates configured to be secured to corresponding bones in the left half and the right half.
- 32. (New) The set of claim 1, wherein the at least two bone plates include a pair of bone plates configured to be secured to noncorresponding bones of the left half and the right half.
- 33. (New) The set of claim 1, wherein the distinct color for the left half is blue, and wherein the distinct color for the right half is green.